






IndigoVision

Speciality Cameras Mount & Accessory Matrix

	BX Range, Thermal Bullet	HD Interceptor PTZ Camera	BX Range, XF HD Fixed Camera	BX Range, XP HD PTZ Camera
				
Mount/Accessory	7.5mm/19mm/35mm	Camera plus Hinge Mount	Standard	Standard
Wall Mount	-	110275	110180	110182
Junction Box	130084	-	-	-
Power Junction Box	130172 (Requires 130084)	-	-	-
Corner Mount	130184 (Requires 130084)	110276	-	-
Pole Mount	130083 (Requires 130084); 130183 (Requires 130084)	110277	-	-
Power Supply	110068; 130176	110282	-	-
Marine Grade Paint	-	110110	-	-

IndigoVision Speciality Camera Mount & Accessory Matrix Appendix - Page 1

Mount Name	Product	Dimensional Drawing	Product Codes
Wall Mount Adaptor	HD Interceptor PTZ Camera	View on Bottom Face View on Front Face View on Side Face	110275
Wall Mount	XF HD Fixed Camera	View on Side Face View on Front Face	110180
Wall Mount	XP HD PTZ Camera	View on Top Face View on Side Face View on Front Face	110182
Junction Box	BX Range	View on Top Face View on Bottom Face View on Side Face	130084

Mount Name	Product	Dimensional Drawing	Product Codes
Corner Mount Adaptor	BX Range Thermal Bullet	View on Front Face View on Side Face View on Top Face	130184
Corner Mount Adaptor	HD Interceptor PTZ Camera	View on Side Face View on Front Face View on Bottom Face	110276
Pole Mount Adaptor	BX Range Thermal Bullet	View on Side Face View on Top Face View on Front Face	130083

IndigoVision Speciality Camera Mount & Accessory Matrix Appendix - Page 3

Mount Name	Product	Dimensional Drawing	Product Codes
Pole Mount Adaptor	BX Range Thermal Bullet	View on Front Face View on Side Face View on Top Face	130183
Pole Mount Adaptor	Interceptor	View on Side Face View on Back Face View on Top Face	110277

Power Supplies

Product Code	Input Voltage	Input Current (Max)	Input Connector	Output Voltage	Output Current (Max)	Output Connector	Operating Temperature Range	Dimensions (D x W x H)
110068	100-240VAC	0.8A	IEC320-C14	12V DC	2.5A	Bare Wires	-30°C to 60°C / -22°F to 140°F	115mm x 50mm x 35mm / 4.53in x 1.97in x 1.38in
110282	100-240VAC	2.1A	Bare Wires	36V DC	5.2A	Bare Wires	-40°C to 65°C / -40°F to 149°F	204mm x 68mm x 39mm / 8.03in x 2.67in x 1.53in
130176	100-240VAC	2.0A	IEC320-C14	56V DC	0.67A	RJ45 Female Connector	-20°C to 40°C / -4°F to 104°F	166mm x 80mm x 44mm / 6.54in x 3.15in x 1.73in